

Weighing tables

- As the name indicates, the weighing tables are designed for equipment which are sensitive to vibration, such as scales. The large mass and damping elements made of rubber eliminate disturbances effectively.
- Materials are easy to clean.
- For Standard solutions we have selected high-quality and most commonly used options in terms of dimensions and materials.
- Custom solutions are always tailored to the customer's needs.



Product information

Description	Product code and standard dimensions width-depth-height [mm]	Height [mm]	Weight approx. [kg]
Weighing table with electrically adjustable height	EVD-1200-550-S	Adjustment range from 650 to 940	170
Weighing table with electrically adjustable height	EVD-900-550-S	Adjustment range from 680 to 970	160
Weighing table with electrically adjustable height	EVD-550-550-S	Adjustment range from 680 to 970	100
Weighing table with a metal base	EVA-550-550-750	750	100
Weighing table with stone base	EVB-900-550-750	750	300
Weighing stone on a worktop	EVC-300-300-30	30	10

Custom

In addition to Standard solutions, we also implement weighing tables according to customer's wishes.

Feel free to contact our experts and we will find suitable solutions together!

VISU KALUSTE OY

- © Eeliksentie 6, 34870 Visuvesi, Finland
- @ visu@visu.fi

\(+358 44 749 4940

💮 visu.fi



Features

Installation	Free-standing on the floor, must be placed away from other furniture and walls. With damping elements made of rubber.
Materials	Powder coated steel, acid-resistant solid laminate and polished granite.
Features EVD (electrically adjustable)	Load-bearing capacity 150 kg. Special wheels fully adjustable within the structure. When adjusted accordingly, the wheels functionally transform into table legs.
By order	A weighing table or its worktop can also be embedded into a laboratory desk or fume cupboard. Electrical outlets (3xSchuko IP21) can be added to the EVD electrically adjustable weighing tables.

VISU KALUSTE OY

- eeliksentie 6, 34870 Visuvesi, Finland
- @ visu@visu.fi
- **\(\sigma +358 44 749 4940 \)**
- visu.fi