

1 - drawer with an inner drawer

- Low drawers are dimensioned especially for electric tables to ensure that they fit under the desk when it is at its lowest position.
- For Standard solutions we have selected high-quality and most commonly used options in terms of dimensions and materials.
- Custom solutions are always tailored to the customer's needs.



Standard

Description	Product code and standard dimensions width-depth-height [mm]	Standard depths d [mm]*
1 - drawer	L11-400-d-620	550 or 580
	L11-500-d-620	
	L11-600-d-620	
1 - drawer with an inner drawer	L12-400-d-620	550 or 580
	L12-500-d-620	
	L12-600-d-620	
Low 1 – drawer Inner drawer not included in the standard product.	ML11-400-550-465	
	ML11-500-550-465	
	ML11-600-550-465	

^{*}Standard depth according to the installation method: 550 mm for movable ones and 580 mm for fixed ones.

- © Eeliksentie 6, 34870 Visuvesi, Finland
- @ visu@visu.fi
- **\(+358 44 749 4940**
- visu.fi




Custom

In addition to Standard solutions, we also implement furniture according to customer's wishes. In Custom solutions, dimensions, materials and equipment are completely up to the customer.

Feel free to contact our experts and we will find suitable solutions together!

- Eeliksentie 6, 34870 Visuvesi, Finland
- @ visu@visu.fi
- **\(\sigma +358 44 749 4940 \)**
- visu.fi





- eliksentie 6, 34870 Visuvesi, Finland
- visu@visu.fi
- **\(\sigma +358 44 749 4940 \)**
- visu.fi



Features

Locking	Abloy-Classic furniture lock.	
Installation	Movable: fitted to the frame or on casters. Fixed: fitted on a steel plinth.	
Materials	According to Standard collection or alternatively customized according to customer's wishes (Custom).	
Contents	The standard product includes one inner drawer (except in the low alternative).	
Castors	The unit can be equipped with castors (4 turning, of which 2 can be locked). The castors, together with the worktop, increase the height by 110 mm.	

- eeliksentie 6, 34870 Visuvesi, Finland
- @ visu@visu.fi
- **\(\sigma +358 44 749 4940 \)**
- visu.fi