

H-desk

To be discontinued, updated to the A-desk

- The worktop material is acid- and chemical-resistant solid laminate (T2). Other options are also available; read more on the [Worktop materials](#) page.
- The streamlined design ensures easy cleanability.
- Under-desk cabinets are attached to the table frame, leaving floor space free and allowing the cabinet to be repositioned under the work surface. The cabinet can also be lifted and relocated entirely to another table.
- Our standard solutions feature the most commonly used dimensions.
- Custom solutions are always tailored to the customer's needs.



Standard


Description	Product code	Standard dimensions [mm]			Additional information
		Width	Depth	Height	
H-desk	RH-T2	400-2300*	600, 800	750, 900	
H-desk	RHp-T2	500-2300*	600, 800	750, 900	On castors
H-desk	RH-AH-T2	400-2300*	600, 800	750, 900	With full size lower shelf
H-desk	RHp-AH-T2	500-2300*	600, 800	750, 900	On castors & with full size lower shelf
H-corner desk	RH-K	1280-2300*	1280-2300*	750, 900	Worktop depth options 600, 800 mm, specified in the order.

* Widths available in 100 mm increments.


Custom

In addition to standard models, we also manufacture desks according to customer specifications. In custom solutions, dimensions, materials, and features are entirely up to the customer.

VISU KALUSTE OY

 Eeliksentie 6, 34870 Visuvesi, Finland

 visu@visu.fi

 +358 44 749 4940

 visu.fi

Feel free to ask our experts for more information, and let's design the right solutions together!

Additional information

Installation method	Free-standing on the floor, adjustable pads as standard. Note. Desks with sinks must be secured in place.
Materials	The worktop material is acid- and chemical-resistant solid laminate (T2). Other options are also available; read more on the Worktop materials page. The frame is powder-coated steel, designed to meet laboratory environment requirements.
Colour	White as standard, other colours available on request.
Load capacity	Recommended load capacity is 200 kg per table, providing sufficient rigidity to minimize sway and prevent surface deflection. The maximum load capacity is 400 kg per table, which must not be exceeded. Higher load capacities are also available; see, for example, Heavy-duty tables designed for heavy-duty loads, or contact our specialists for further information.
Castors	The furniture can be equipped with castors (4 turning, of which 2 can be locked).
By order	The table can be equipped with a full size lower shelf made of P5 class chipboard with a high-pressure laminate surface.

VISU KALUSTE OY

-  Eeliksentie 6, 34870 Visuvesi, Finland
-  visu@visu.fi
-  +358 44 749 4940
-  visu.fi